

Name: _____ Delivery address: _____
 Company: _____
 Your ref: _____
 Date required: _____
 Phone & email: _____



Ultimate Rose Mk3

Quote Order

Location:

T=toughened L=laminated P=patterned glass
 SM=slim mullion F=fixed FIRE=fire escape

Location:

T=toughened L=laminated P=patterned glass
 SM=slim mullion F=fixed FIRE=fire escape

Location:

T=toughened L=laminated P=patterned glass
 SM=slim mullion F=fixed FIRE=fire escape

Size (inc add-on) w: _____ x h: _____
 Sash drop _____ mm
 Arch shoulder _____ mm
 Quantity _____

Size (inc add-on) w: _____ x h: _____
 Sash drop _____ mm
 Arch shoulder _____ mm
 Quantity _____ Copy spec?

Size (inc add-on) w: _____ x h: _____
 Sash drop _____ mm
 Arch shoulder _____ mm
 Quantity _____ Copy spec?

Bars astragal 18mm g/bar
 25mm g/bar

Bars astragal 18mm g/bar
 25mm g/bar

Bars astragal 18mm g/bar
 25mm g/bar

Sash horns run-through none

Sash horns run-through none

Sash horns run-through none

Finish chalk white cream w/g
 white w/g smooth white
 crystal white w/g
 cream on white w/g
 RAL (code) _____
 ...on smooth - w/g - chalk

Finish chalk white cream w/g
 white w/g smooth white
 crystal white w/g
 cream on white w/g
 RAL (code) _____
 ...on smooth - w/g - chalk

Finish chalk white cream w/g
 white w/g smooth white
 crystal white w/g
 cream on white w/g
 RAL (code) _____
 ...on smooth - w/g - chalk

Furniture globe locks pole eyes
 acorn locks sash lifts
 Limit stops shark fins _____ (mm)

Furniture globe locks pole eyes
 acorn locks sash lifts
 Limit stops shark fins _____ (mm)

Furniture globe locks pole eyes
 acorn locks sash lifts
 Limit stops shark fins _____ (mm)

Colour gold satin
 chrome black
 bronze white (acorn)

Colour gold satin
 chrome black
 bronze white (acorn)

Colour gold satin
 chrome black
 bronze white (acorn)

Security standard SBD (acorn)
 Staff bead^{*1} yes no
 Tilt^{*2} yes no
 Brushpile white grey
 Gaskets^{*3} white grey

Security standard SBD (acorn)
 Staff bead^{*1} yes no
 Tilt^{*2} yes no
 Brushpile white grey
 Gaskets^{*3} white grey

Security standard SBD (acorn)
 Staff bead^{*1} yes no
 Tilt^{*2} yes no
 Brushpile white grey
 Gaskets^{*3} white grey

Cill flush projecting 225
 deep flush

Cill flush projecting 225
 deep flush

Cill flush projecting 225
 deep flush

Glass A-rated other (specify) _____

Glass A-rated other (specify) _____

Glass A-rated other (specify) _____

Spacer bars white black
 grey

Spacer bars white black
 grey

Spacer bars white black
 grey

Other spec _____

Other spec _____

Other spec _____

Trickle vents^{*4} frame 40mm add-on
 concealed overhead add-on

Trickle vents^{*4} frame 40mm add-on
 concealed overhead add-on

Trickle vents^{*4} frame 40mm add-on
 concealed overhead add-on

Extras fixing lugs (pack of six)

Extras fixing lugs (pack of six)

Extras fixing lugs (pack of six)

ADDITIONAL INSTRUCTIONS

NOTES

^{*1} Not available on smooth white/slim mullions/
 arches or 90° bays
^{*2} Not available if sash > 25kg
^{*3} Some profile colours have fixed gasket colours
^{*4} 18mm clearance. Consider adding 20mm add-on

PLEASE SEND COMPLETED FORM TO:
trade@roseview.co.uk
 For any queries, call us on 01234 712657

Name: _____ Delivery address: _____
 Company: _____
 Your ref: _____
 Date required: _____
 Phone & email: _____



Heritage Rose

Quote Order

Location:

T=toughened L=laminated P=patterned glass
 SM=slim mullion F=fixed FIRE=fire escape

Location:

T=toughened L=laminated P=patterned glass
 SM=slim mullion F=fixed FIRE=fire escape

Location:

T=toughened L=laminated P=patterned glass
 SM=slim mullion F=fixed FIRE=fire escape

Size (inc add-on) w: mm x h: mm

Sash drop mm

Arch shoulder mm

Quantity

Size (inc add-on) w: mm x h: mm

Sash drop mm

Arch shoulder mm

Quantity Copy spec?

Size (inc add-on) w: mm x h: mm

Sash drop mm

Arch shoulder mm

Quantity Copy spec?

Bars astragal 18mm g/bar 25mm g/bar

Bars astragal 18mm g/bar 25mm g/bar

Bars astragal 18mm g/bar 25mm g/bar

Sash horns run-through clip-on none

Sash horns run-through clip-on none

Sash horns run-through clip-on none

Bottom rail welded (std) mechanical

Bottom rail welded (std) mechanical

Bottom rail welded (std) mechanical

Finish smooth white white w/g cream on white w/g RAL (smooth) RAL (w/g) crystal white cream w/g

Finish smooth white white w/g cream on white w/g RAL (smooth) RAL (w/g) crystal white cream w/g

Finish smooth white white w/g cream on white w/g RAL (smooth) RAL (w/g) crystal white cream w/g

Furniture acorn locks d-handles shark fins pole eyes sash lifts

Furniture acorn locks d-handles shark fins pole eyes sash lifts

Furniture acorn locks d-handles shark fins pole eyes sash lifts

Limit stops shark fins _____ (mm)

Limit stops shark fins _____ (mm)

Limit stops shark fins _____ (mm)

Colour gold chrome bronze satin black white

Colour gold chrome bronze satin black white

Colour gold chrome bronze satin black white

Security standard yes white white SBD no grey grey

Security standard yes white white SBD no grey grey

Security standard yes white white SBD no grey grey

Cill flush projecting 225

Cill flush projecting 225

Cill flush projecting 225

Glass A-rated other (specify)

Glass A-rated other (specify)

Glass A-rated other (specify)

Spacer bars grey black

Spacer bars grey black

Spacer bars grey black

Other spec _____

Other spec _____

Other spec _____

Trickle vents*3 frame concealed overhead add-on 40mm add-on

Trickle vents*3 frame concealed overhead add-on 40mm add-on

Trickle vents*3 frame concealed overhead add-on 40mm add-on

Extras fixing lugs (pack of six)

Extras fixing lugs (pack of six)

Extras fixing lugs (pack of six)

ADDITIONAL INSTRUCTIONS

NOTES

*1 Not available if sash > 25kg
 *2 Some profile colours have fixed gasket colours
 *3 18mm clearance. Consider adding 20mm add-on

PLEASE SEND COMPLETED FORMS TO:

trade@roseview.co.uk

For any queries, call us on 01234 712657

Name: _____ Delivery address: _____
 Company: _____
 Your ref: _____
 Date required: _____
 Phone & email: _____



Charisma Rose

Quote Order

Location:

T=toughened L=laminated P=patterned glass
F=fixed FIRE=fire escape

Location:

T=toughened L=laminated P=patterned glass
F=fixed FIRE=fire escape

Location:

T=toughened L=laminated P=patterned glass
F=fixed FIRE=fire escape

Size (inc add-on) w: _____ x h: _____
 Sash drop _____ mm
 Arch shoulder _____ mm
 Quantity _____

Size (inc add-on) w: _____ x h: _____
 Sash drop _____ mm
 Arch shoulder _____ mm
 Quantity _____

Size (inc add-on) w: _____ x h: _____
 Sash drop _____ mm
 Arch shoulder _____ mm
 Quantity _____

Bars astragal 18mm g/bar
 25mm g/bar

Bars astragal 18mm g/bar
 25mm g/bar

Bars astragal 18mm g/bar
 25mm g/bar

Sash horns run-through none
 clip-on

Sash horns run-through none
 clip-on

Sash horns run-through none
 clip-on

Bottom rail standard deep (mech)

Bottom rail standard deep (mech)

Bottom rail standard deep (mech)

Finish smooth white cream w/g
 white w/g
 cream w/g on smooth white
 chartwell w/g on smooth white
 anthracite w/g/ on smooth white
 RAL (smooth) _____
 RAL (w/g) _____

Finish smooth white cream w/g
 white w/g
 cream w/g on smooth white
 chartwell w/g on smooth white
 anthracite w/g/ on smooth white
 RAL (smooth) _____
 RAL (w/g) _____

Finish smooth white cream w/g
 white w/g
 cream w/g on smooth white
 chartwell w/g on smooth white
 anthracite w/g/ on smooth white
 RAL (smooth) _____
 RAL (w/g) _____

Furniture acorn locks pole eyes
 d-handles sash lifts

Furniture acorn locks pole eyes
 d-handles sash lifts

Furniture acorn locks pole eyes
 d-handles sash lifts

Limit stops shark fins _____ (mm)

Limit stops shark fins _____ (mm)

Limit stops shark fins _____ (mm)

Colour gold satin
 chrome black
 bronze white

Colour gold satin
 chrome black
 bronze white

Colour gold satin
 chrome black
 bronze white

Security standard SBD
 Tilt*1 yes no

Security standard SBD
 Tilt*1 yes no

Security standard SBD
 Tilt*1 yes no

Cill flush
 180mm (150+30) sub-cill
 210mm (180+30) sub-cill

Cill flush
 180mm (150+30) sub-cill
 210mm (180+30) sub-cill

Cill flush
 180mm (150+30) sub-cill
 210mm (180+30) sub-cill

Glass A-rated other (specify) _____

Glass A-rated other (specify) _____

Glass A-rated other (specify) _____

Spacer bars black

Spacer bars black

Spacer bars black

Other spec _____

Other spec _____

Other spec _____

Trickle vents: sash
 concealed overhead add-on

Trickle vents: sash
 concealed overhead add-on

Trickle vents: sash
 concealed overhead add-on

Extras fixing lugs (pack of six)

Extras fixing lugs (pack of six)

Extras fixing lugs (pack of six)

ADDITIONAL INSTRUCTIONS

NOTES

*1 Not available if sash > 25kg

PLEASE SEND COMPLETED FORMS TO:

trade@roseview.co.uk

For any queries, call us on 01234 712657